

检测报告
Test Report报告编号 A2250061967101001E
Report No. A2250061967101001E第 1 页 共 4 页
Page 1 of 4报告抬头公司名称 广东彩汇美新材料技术有限公司
Company Name GUANGDONG CAIHUIMEI NEW MATERIAL TECHNOLOGY CO., LTD
shown on Report
地 址 东莞市东坑镇东坑迎宾路5号
Address 5 YINGBIN ROAD, DONGKENG, DONGGUAN

以下测试之样品及样品信息由申请者提供并确认

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

样品名称	硅胶处理剂
Sample Name	Silicone primer
样品型号	AS-566、AS-566-1、AS-566-2、 AS-566-3、AS-566-4、AS-566-5、AS-566-6、AS-577、AS-588
Model No.	AS-566、AS-566-1、AS-566-2、 AS-566-3、AS-566-4、AS-566-5、AS-566-6、AS-577、AS-588
样品接收日期	2025.02.10
Sample Received Date	Feb. 10, 2025
样品检测日期	2025.02.10-2025.02.13
Testing Period	Feb. 10, 2025 to Feb. 13, 2025
检测要求	根据客户要求, 对所提交样品中的氟(F), 氯(Cl), 溴(Br), 碘(I)进行测试。
Test Requested	As specified by client, to test Fluorine (F), Chlorine (Cl), Bromine (Br), Iodine (I) in the submitted sample(s).
检测依据/检测结果	请参见下页。
Test Method/Test Result(s)	Please refer to the following page(s).



夏清

授权签字人 Lab Authorized Signatory

日 期
Date

2025.02.13

No. R158922078

广东省深圳市宝安区新安街道兴东社区华测检测大楼

CTI Building, Xing Dong Community, Xin'an Sub-district, Bao'an District, Shenzhen City, Guangdong Province, P.R. China

检测报告

Test Report

报告编号 A2250061967101001E

第 2 页 共 4 页

Report No. A2250061967101001E

Page 2 of 4

检测依据 Test Method

测试项目 Test Item(s)	测试方法 Test Method	测试仪器 Measured Equipment(s)
氟 Fluorine (F)	EN 14582:2016	IC
氯 Chlorine (Cl)	EN 14582:2016	IC
溴 Bromine (Br)	EN 14582:2016	IC
碘 Iodine (I)	EN 14582:2016	IC

检测结果 Test Result(s)

测试项目 Tested Item(s)	结果 Result	方法检出限 MDL
	001	
氟 Fluorine (F)	N.D.	10 mg/kg
氯 Chlorine (Cl)	N.D.	10 mg/kg
溴 Bromine (Br)	N.D.	10 mg/kg
碘 Iodine (I)	N.D.	10 mg/kg

样品/部位描述 Sample/Part Description

序号 No.	CTI样品ID CTI Sample ID	描述 Description
1	001	透明液体 Transparent liquid

备注: -根据客户声明,本报告“样品信息”中的多信息原因可能包含(但不限于):供给不同客户、销往不同的国家或地区、曾用名或多种物质的混合物等情况。

-N.D. = 未检出 (小于方法检出限)

-mg/kg = ppm = 百万分之一

Remark: -According to the client's statement, the reasons for the multiple information in the "sample information" of this report may include (but are not limited to): supplying to different buyers, being sold to different countries or regions, former names, or mixtures of several substances.

-MDL = Method Detection Limit

-N.D. = Not Detected (<MDL)

-mg/kg = ppm = parts per million

注释: 本报告中的数据结果供科研、教学、企业内部质量控制、企业产品研发等目的用。

Note: The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.



检测报告 Test Report


报告编号 A2250061967101001E

Report No. A2250061967101001E

第 3 页 共 4 页

Page 3 of 4

检测流程 Test Process




检测报告 Test Report

报告编号 A2250061967101001E
Report No. A2250061967101001E

第 4 页 共 4 页
Page 4 of 4

样品图片 Photo(s) of the sample(s)



声明Statement:

1. 检测报告无批准人签字、“专用章”及报告骑缝章无效;
This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. 报告抬头公司名称及地址、样品及样品信息由申请者提供, 申请者应对其真实性负责, CTI未核实其真实性;
The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. 本报告检测结果仅对受测样品负责;
The result(s) shown in this report refer(s) only to the sample(s) tested;
4. 除非另有说明, 报告参照ILAC-G8:09/2019 / CNAS-GL015:2022使用简单接受(w=0)二元判定规则进行符合性判定;
Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019 / CNAS-GL015:2022;
5. 未经CTI书面同意, 不得部分复制本报告;
Without written approval of CTI, this report can't be reproduced except in full;
6. 如检测报告中的英文内容与中文内容有差异, 以中文为准。
In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

报告结束

*** End of report ***